

November 4, 2023

To,

BSE Limited Phiroze Jeejebhoy Towers Dalal Street Mumbai - 400 001 Scrip Code (BSE): 544009	National Stock Exchange of India Limited "Exchange Plaza" Bandra-Kurla Complex, Bandra (East) Mumbai - 400051 Symbol: BLUEJET
--	--

Sub.: Intimation of Board Meeting under Regulation 29 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015

Dear Sir / Ma'am,

Pursuant to the provisions of Regulation 29(1)(a) of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, we wish to inform you that a meeting of the Board of Directors of the Company is scheduled to be held on Friday, November 10, 2023, *inter alia*, to consider and approve the limited reviewed Financial Results of the Company for the Second Quarter and Half Year ended September 30, 2023.

Further, pursuant to the provisions of the Securities and Exchange Board of India (Prohibition of Insider Trading) Regulations, 2015 and as per the terms of "Code of Conduct for Regulating, Monitoring and Reporting of Trading by Insiders" of the Company, the trading window for dealing in the securities of the Company is closed from Wednesday, November 1, 2023 and the same shall re-open after 48 hours of declaration of the said results for Directors and Specified Persons as defined in the Code and the same has been informed to them.

Kindly take the same on your record.

Thanking you,

Yours faithfully,

For Blue Jet Healthcare Limited

SWETA Digitally signed by
SWETA PODDAR
Date: 2023.11.04
PODDAR 17:25:09 +05'30'

Ms. Sweta Poddar

Company Secretary & Compliance Officer

Unit I

3/2, Milestone, Kalyan Murbad Road, Village Varap, P.O. Box No. 5, Shahad-421 103, Tel.: 91 251 2280283 Fax : +91 251 2280567

Unit II

Plot No. B-12, C-4, E-2, MIDC, Industrial Area, Chemical Zone, Ambarnath (W) 421501. Tel. : +91 8956363877/8956363878

Unit III

K-4/1, Additional MIDC Road, Mahad Industrial Area, Mahad- 402309, Tel.: + 91 22 2207 5307 / 6192 / 1691 Fax : +91 22 2207 0294